



KONICA MINOLTA



OFFICE SYSTEMS LINE-UP

PHOTOCOPIERS DIRECT LTD

22 Abbey Road, London NW10 7RE

www.photocopiersdirect.co.uk
sales@photocopiersdirect.co.uk

0800 174 293



Giving Shape to Ideas

INDEX



Colour A3 multifunctional

bizhub C257i	4
bizhub C250i	5
bizhub C300i	6
bizhub C360i	7
bizhub C450i	8
bizhub C550i	9
bizhub C650i	10
bizhub C750i	11

Colour A4 multifunctional

bizhub C3320i	12
bizhub C3350i	13
bizhub C4050i	14

Colour A4 printer

bizhub C3300i	15
bizhub C4000i	16

Black & White A3 multifunctional

bizhub 227	18
bizhub 287	19
bizhub 367	20
bizhub 300i	21
bizhub 360i	22
bizhub 450i	23
bizhub 550i	24
bizhub 650i	25
bizhub 750i	26

Black & White A4 multifunctional

bizhub 4020i	27
bizhub 5020i	28
bizhub 4050i	29
bizhub 4750i	30

Black & White A4 printer

bizhub 4700i	31
bizhub 4000i	32
bizhub 5000i	33

WORKING ENVIRONMENTS IN STEP WITH TODAY'S WORLD

MAKING OFFICES MORE EFFICIENT

From small businesses to big enterprises, companies today strive to find the individual document solution best suited to their specific and diverse business needs. The comprehensive services, systems and solutions that Konica Minolta provides cover the requirements of the entire document life cycle in the office. Our exclusively designed range of highly efficient and perfectly compatible multifunctionals extends from entry-level office devices, including laser printers and small all-in-ones, to cutting-edge, high-performance production printing systems. Naturally, you always have the choice of colour as well as monochrome alternatives.

In combination with intelligent software applications, the innovative multifunctional systems from Konica Minolta bring together both digital and paper-based worlds. They therefore accommodate all the demands of the modern business with smooth workflows that help companies save time and money. Our competent solutions effectively enhance and accelerate our customers' business development.



INTUITIVE OPERABILITY

Operate the bizhub like a smartphone or tablet with fully customised user interface



PRODUCTIVITY

Reliability, high-speed scanning and printing, combined with powerful finishing functions



MOBILE CONNECTIVITY

Print anytime from anywhere with Konica Minolta's innovative mobile technologies



ACCESSIBILITY

Seamless operation of your bizhub device and valuable support for easier access and handling to suit users with special needs



SECURITY

Secure network integration, data encryption, HDD overwrite, and advanced user authentication



SERVICES

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



APPLICATION ECOSYSTEM

Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio

bizhub C257i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 25/25 ppm (mono/colour)
System speed A3	Up to 12/12 ppm (mono/colour)
1st page out time A4	6.8/8.4 sec. (mono/colour)
Warm-up time	Approx. 20 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	6,144 MB (standard/max)
System hard drive	256 GB SSD (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF
Printable paper size	A6-A3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	60-256 g/m ²
Paper input capacity	1,100 sheets / 3,600 sheets (standard/max)
Automatic duplexing	A5-A3; 60-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS

PRINTER SPECIFICATIONS

Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming
Scan speed	Up to 55/55 ipm in simplex (mono/colour) Up to 20/20 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C250i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 25/25 ppm (mono/colour)
System speed A3	Up to 15/15 ppm (mono/colour)
1st page out time A4	5.2/6.9 sec. (mono/colour)
Warm-up time	Approx. 11/13 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS

PRINTER SPECIFICATIONS

Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming
Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C300i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 30/30 ppm (mono/colour)
System speed A3	Up to 15/15 ppm (mono/colour)
1st page out time A4	5.0/6.7 sec. (mono/colour)
Warm-up time	Approx. 11/13 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS

PRINTER SPECIFICATIONS

Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming
Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C360i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 36/36 ppm (mono/colour)
System speed A3	Up to 18/18 ppm (mono/colour)
1st page out time A4	4.6/6.1 sec. (mono/colour)
Warm-up time	Approx. 12/13 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS

PRINTER SPECIFICATIONS

Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming
Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C450i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability




TECHNICAL SPECIFICATIONS

System speed A4	Up to 45/45 ppm (mono/colour)
System speed A3	Up to 22/22 ppm (mono/colour)
1st page out time A4	3.8/5.0 sec. (mono/colour)
Warm-up time	Approx. 15/17 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



bizhub C550i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability




TECHNICAL SPECIFICATIONS

System speed A4	Up to 55/55 ppm (mono/colour)
System speed A3	Up to 27/27 ppm (mono/colour)
1st page out time A4	3.3/4.3 sec. (mono/colour)
Warm-up time	Approx. 14/16 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



bizhub C650i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability




TECHNICAL SPECIFICATIONS

System speed A4	Up to 65/65 ppm (mono/colour)
System speed A3	Up to 32/32 ppm (mono/colour)
1st page out time A4	2.8/3.8 sec. (mono/colour)
Warm-up time	Approx. 15/17 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



bizhub C750i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability




TECHNICAL SPECIFICATIONS

System speed A4	Up to 75/70 ppm (mono/colour)
System speed A3	Up to 37/35 ppm (mono/colour)
1st page out time A4	2.8/3.8 sec. (mono/colour)
Warm-up time	Approx. 17/18 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	3,650 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



bizhub C3320i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 33/33 ppm (mono/colour)
1st page out time A4	6.0/7.2 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System hard drive	16 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming
Scan speed	Up to 28/28 ipm in simplex (mono/colour) Up to 56/56 ipm in duplex (mono/colour)

SCANNER SPECIFICATIONS

Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

bizhub C3350i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 33/33 ppm (mono/colour)
1st page out time A4	5.6/6.3 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming
Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)

SCANNER SPECIFICATIONS

Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

bizhub C4050i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 40/40 ppm (mono/colour)
1st page out time A4	4.8/5.4 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct
Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming
Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)

SCANNER SPECIFICATIONS

Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Fax standard	Super G3
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub C3300i

COLOUR A4 PRINTER



Intuitive operability



Mobile connectivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 33/33 ppm (mono/colour)
1st page out time A4	8.7/9.6 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	3,072 MB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,100 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub C4000i

COLOUR A4 PRINTER



**Intuitive
operability**



**Mobile
connectivity**



Services



Sustainability



TECHNICAL SPECIFICATIONS

System speed A4	Up to 40/40 ppm (mono/colour)
1st page out time A4	8.0/8.7 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) ¹
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct

FINISHING FUNCTIONALITIES



Duplex



**Corner
Stapling
(offline)**

bizhub 227

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Accessibility



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 22 ppm
System speed A3	Up to 14 ppm
1st page out time A4	5.3 sec.
Warm-up time	Approx. 20 sec. ¹
Panel size/resolution	7" / 800 x 480
System memory	2,048 MB / 4,096 MB (standard/max)
System hard drive	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-128 g/m ² ; RADF
Printable paper size	A5-A3; customized paper sizes
Printable paper weight	60-220 g/m ²
Paper input capacity	1,100 sheets / 3,600 sheets (standard/max)
Automatic duplexing	A5-A3; 60-209 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi
Page description language	PCL 6 (XL3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android); optional: Google Cloud Print; WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting

bizhub 287

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Accessibility



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 28 ppm
System speed A3	Up to 14 ppm
1st page out time A4	5.3 sec.
Warm-up time	Approx. 20 sec. ¹
Panel size/resolution	7" / 800 x 480
System memory	2,048 MB / 4,096 MB (standard/max)
System hard drive	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-128 g/m ² ; RADF
Printable paper size	A5-A3; customized paper sizes
Printable paper weight	60-220 g/m ²
Paper input capacity	1,100 sheets / 3,600 sheets (standard/max)
Automatic duplexing	A5-A3; 60-209 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi
Page description language	PCL 6 (XL3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting

bizhub 367

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Accessibility



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 36 ppm
System speed A3	Up to 18 ppm
1st page out time A4	4.3 sec.
Warm-up time	Approx. 20 sec. ¹
Panel size/resolution	7" / 800 x 480
System memory	2,048 MB / 4,096 MB (standard/max)
System hard drive	250 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-128 g/m ² ; RADF
Printable paper size	A5-A3; customized paper sizes
Printable paper weight	60-220 g/m ²
Paper input capacity	1,100 sheets / 3,600 sheets (standard/max)
Automatic duplexing	A5-A3; 60-209 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi
Page description language	PCL 6 (XL3.0); PCL 5; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Google Cloud Print; WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting

bizhub 300i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 30 ppm
System speed A3	Up to 15 ppm
1st page out time A4	5.0 sec.
Warm-up time	Approx. 11 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 360i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 36 ppm
System speed A3	Up to 18 ppm
1st page out time A4	4.6 sec.
Warm-up time	Approx. 12 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder (optional)	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 450i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 45 ppm
System speed A3	Up to 22 ppm
1st page out time A4	3.8 sec.
Warm-up time	Approx. 15 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 550i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 55 ppm
System speed A3	Up to 27 ppm
1st page out time A4	3.3 sec.
Warm-up time	Approx. 14 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 650i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 65 ppm
System speed A3	Up to 32 ppm
1st page out time A4	2.8 sec.
Warm-up time	Approx. 15 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-A3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punching

Duplex

Combined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 750i

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive operability



Security



Application ecosystem



Productivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 75 ppm
System speed A3	Up to 37 ppm
1st page out time A4	2.8 sec.
Warm-up time	Approx. 18 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	8,192 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm
Printable paper weight	52-300 g/m ²
Paper input capacity	3,650 sheets / 6,650 sheets (standard/max)
Automatic duplexing	A6-SRA3; 52-256 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android); optional: WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Duplex



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub 4020i

BLACK & WHITE A4 MULTIFUNCTIONAL



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 40 ppm
1st page out time A4	9.2 sec.
Warm-up time	Approx. 27 sec. ¹
Panel size/resolution	3.7" / 432 x 240
System memory	256 MB (standard/max)
Interface	10/100-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n
Automatic document feeder	Up to 50 originals; A6-A4; 64-90 g/m ² ; ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-120 g/m ²
Paper input capacity	300 sheets / 1,340 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS
Mobile printing	Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android); Google Cloud Print; WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-999

COPIER SPECIFICATIONS

Magnification	25-400% in 1.0% steps; Auto-zooming
Scan speed	Up to 24/20 ipm in simplex (mono/colour)
Scan resolution	Up to 1,200 x 1,200 dpi
File formats	JPEG; TIFF; PDF; XPS; PDF/A
Fax standard	Super G3
Fax transmission	Analogue; i-Fax

FINISHING FUNCTIONALITIES



Duplex



Corner
Stapling
(offline)

bizhub 5020i

BLACK & WHITE A4 MULTIFUNCTIONAL



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 50 ppm
1st page out time A4	9.5 sec.
Warm-up time	Approx. 27 sec. ¹
Panel size/resolution	4.85" / 432 x 240
System memory	1,024 MB (standard/max)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n
Automatic document feeder	Up to 80 originals; A6-A4; 64-90 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-120 g/m ²
Paper input capacity	570 sheets / 1,610 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS
Mobile printing	Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android); Google Cloud Print; WiFi Direct

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-999

COPIER SPECIFICATIONS

Magnification	25-400% in 1.0% steps; Auto-zooming
Scan speed	Up to 50/20 ipm in simplex (mono/colour) Up to 100/34 ipm in duplex (mono/colour)
Scan resolution	Up to 1,200 x 1,200 dpi
File formats	JPEG; TIFF; PDF; XPS; PDF/A
Fax standard	Super G3
Fax transmission	Analogue; i-Fax

FINISHING FUNCTIONALITIES



Duplex



Corner
Stapling
(offline)

bizhub 4050i

BLACK & WHITE A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 40 ppm
1st page out time A4	4.8 sec.
Warm-up time	Approx. 13 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android); optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android)

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

bizhub 4750i

BLACK & WHITE A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 47 ppm
1st page out time A4	4.3 sec.
Warm-up time	Approx. 13 sec. ¹
Panel size/resolution	10.1" / 1024 x 600
System memory	5,120 MB (standard/max)
System hard drive	256 GB SSD (standard) / 1 TB SSD (optional)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional)
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android)

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Multicopy	1-9,999
Magnification	25-400% in 0.1% steps; Auto-zooming

SCANNER SPECIFICATIONS

Scan speed	Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX

FAX SPECIFICATION

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax

FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

bizhub 4700i

BLACK & WHITE A4 PRINTER



Intuitive operability



Mobile connectivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 47 ppm
1st page out time A4	7.4 sec.
Warm-up time	Approx. 17 sec. ¹
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System hard drive	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional)
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m ²
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Automatic duplexing	A4; 60-210 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

FINISHING FUNCTIONALITIES



Duplex



Corner Stapling (offline)

bizhub 4000i

BLACK & WHITE A4 PRINTER



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 40 ppm
1st page out time A4	7.2 sec.
Warm-up time	Approx. 25 sec. ¹
Panel size/resolution	1 line LCD
System memory	256 MB (standard/max)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-120 g/m ²
Paper input capacity	570 sheets / 1,610 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS
Mobile printing	Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android); Google Cloud Print; WiFi Direct

FINISHING FUNCTIONALITIES



Duplex



Corner
Stapling
(offline)

bizhub 5000i

BLACK & WHITE A4 PRINTER



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

System speed A4	Up to 50 ppm
1st page out time A4	7.5 sec.
Warm-up time	Approx. 25 sec. ¹
Panel size/resolution	1.8"
System memory	512 MB (standard/max)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-120 g/m ²
Paper input capacity	570 sheets / 1,610 sheets (standard/max)
Automatic duplexing	A4; 60-105 g/m ²

PRINTER SPECIFICATIONS

Print resolution	1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PostScript 3; XPS
Mobile printing	Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android); Google Cloud Print; WiFi Direct

FINISHING FUNCTIONALITIES



Duplex



Corner
Stapling
(offline)

PHOTOCOPIERS DIRECT LTD

22 Abbey Road, London NW10 7RE

www.photocopiersdirect.co.uk
sales@photocopiersdirect.co.uk

0800 174 293



¹ Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.